CONTROL DUO LS

PREMIUM DRIFT MITIGATION, DEPOSITION, AND SURFACTANT SYSTEM

INGREDIENTS:

Nonionic Surfactant, Proprietary Polymer Blend and Formulation Aids ...100%

All ingredients are exempt from tolerance requirements under 40 CFR 180.1001

NET CONTENT: 2.5 Gallons

KEEP OUT OF REACH OF CHILDREN

GARRCO PRODUCTS, INC.

P.O. Box 619 Converse, IN 46919-0619 Phone: 765.395.3441

Documents at www.garrco.com

CONTROL DUO LS™ is a very effective, easy-to-use, multi-functional adjuvant that provides superior drift mitigation and enhanced pesticide uptake. CONTROL DUO LS™ also increases deposition and retention while lowering the evaporation rate of the spray deposit. CONTROL DUO LS™ has a higher ratio of drift mitigation adjuvant to surfactant than CONTROL DUO™, which makes cost and ratio of ingredients more appropriate for some aerial and ground applications. The premium surfactant system in CONTROL DUO LS™ improves penetration of pesticides, nutritionals, and biologicals.

CONTROL DUO LS™ contains the research and field proven **CONTROL WM™** polymer blend in combination with a unique and highly effective surfactant system. The **CONTROL DUO LS™** lowers the production of driftable fine spray droplets sompared to most surfactants.

 $\textbf{CONTROL DUO LS}^{\intercal} \text{ may be used in aquatic applications at labeled rates.}$

Recommended rates of **CONTROL DUO LS™** are 1 to 6 qt/100 gal for ground applications and 2 to 8 qt/100 gal for aerial applications. Use 6 qt/100 gal with products that contain dicamba and 2,4-D.

Always agitate when adding any product to the spray tank.

WARNING:

Harmful if swallowed. Causes eye irritation.



PRECAUTIONARY STATEMENTS:

Do not eat, drink or smoke when using this product. If swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do - continue rinsing.

FIRST AID: Eye contact: Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

STORAGE AND DISPOSAL

Store above 32° F and prevent freezing. Do not reuse empty container. Dispose of container in accordance with federal, state, or local regulations.

Always use best spray management practices and follow pesticide label directions. **CONTROL DUO LS™** by itself will not totally eliminate the potential for spray drift.

Seller makes no warranty of fitness or merchantability. Buyer agrees that seller's maximum liability shall not exceed the purchase price of this product.

Read Safety Data Sheet before using this product.

